



Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment  
Authority(SEIAA), Maharashtra)

To,

The Managing Director  
M/S G G METROPOLIS PVT. LTD.  
3rd Floor, San Mahu Complex, Opp Poona Club, 5 Bund Garden Road,  
Pune -411001

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/69531/2021 dated 18 Jun 2022. The particulars of the environmental clearance granted to the project are as below.

- |  |  |
|--|--|
| 1. EC Identification No.                   | EC22B039MH138824   |
| 2. File No.                                | SIA/MH/MIS/69531/2021  |
| 3. Project Type                            | New  |
| 4. Category                                | B1   |
| 5. Project/Activity including Schedule No. | 8(b) Townships and Area Development projects.  |
| 6. Name of Project                         | IT/ITES Integrated Township Construction Project at Gat No 1279 (P), 1280 (P), 1281 (P), 1282 (P), Mauje: - Wagholi, Tal: Haveli, District Pune by GG Metropolis Pvt. Ltd. |
| 7. Name of Company/Organization            | M/S G G METROPOLIS PVT. LTD.   |
| 8. Location of Project                     | Maharashtra  |
| 9. TOR Date                                | 12 May 2022  |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 24/11/2022

(e-signed)  
Pravin C. Darade , I.A.S.  
Member Secretary  
SEIAA - (Maharashtra)

*Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.*

*This is a computer generated cover page.*

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,  
and Virtuous Environmental Single-Window Hub)



## STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/69531/2021  
Environment & Climate  
Change Department  
Room No. 217, 2<sup>nd</sup> Floor,  
Mantralaya, Mumbai- 400032.

To  
M/s.GG Metropolis Pvt. Ltd.  
(through Mr Jaiprakash S Goel),  
Gat No 1279 (P), 1280 (P), 1281 (P), 1282 (P),  
Mauje: - Wagholi, Tal: Haveli, PUNE.

Subject : Environmental Clearance for IT/ITES Integrated Township  
Construction Project at Gat No 1279 (P), 1280 (P), 1281 (P), 1282 (P),  
Mauje: - Wagholi, Tal: Haveli, PUNE by M/s.GG Metropolis Pvt. Ltd.  
through Mr Jaiprakash S Goel

Reference : Application no. SIA/MH/MIS/69531/2021

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 150<sup>th</sup> meeting under screening category 8 (b) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 252<sup>nd</sup> (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	SIA/MH/MIS/69531/2021	
2	Name of Project	IT/ITES Integrated Township Construction Project at Gat No 1279 (P), 1280 (P), 1281 (P), 1282 (P), Mauje: - Wagholi, Tal: Haveli, PUNE by GG Metropolis Pvt. Ltd. through Mr Jaiprakash S Goel	
3	Project category	8(b) Township and Area Development Projects	
4	Type of Institution	Private	
5	Project Proponent	Name	GG Metropolis Pvt. Ltd. through Mr Jaiprakash S Goel
		Regd. Office address	3 <sup>rd</sup> Floor, San Mahu Complex, Bund Garden Road, Opp. Poona Club, Camp, Taluka-Haveli, District-Pune 411001
		Contact number	020-26140251
		e-mail	nikhil.agrawal@goelganga.com
6	Consultant	Sustainera Solutions Pvt. Ltd.	
7	Applied for	Fresh Environment Clearance (EIA)	
8	Details of previous EC	Not applicable	
9	Location of the project	Gat No 1279 (P), 1280 (P), 1281 (P), 1282 (P), Mauje: - Wagholi, Tal: Haveli, Pune	
10	Latitude and Longitude	Latitude 18°33'16.16"N Longitude 73°57'56.12"E	

11	Total Plot Area (m <sup>2</sup> )	1,75,121.00 m <sup>2</sup>					
12	Deductions (m <sup>2</sup> )	8,756.00 m <sup>2</sup>					
13	Net Plot area (m <sup>2</sup> )	1,66,364.00 m <sup>2</sup>					
14	Proposed FSI area (m <sup>2</sup> )	7,64,786 .00 m <sup>2</sup>					
15	Proposed non-FSI area (m <sup>2</sup> )	3,59,284.00 m <sup>2</sup>					
16	Proposed TBUA (m <sup>2</sup> )	11,24,070.00 m <sup>2</sup>					
17	TBUA (m <sup>2</sup> ) approved by	11,24,070 m <sup>2</sup> (Ja. Kra. 966 dated 30.06.2022)					
	Planning Authority till date	PMRDA					
18	Ground coverage (m <sup>2</sup> ) & %	58,227.4 m <sup>2</sup> 35%					
19	Total Project Cost (Rs.)	Rs. 1,775 Cr					
20	CER as per MoEF & CC circular dated 01/05/2018	Activity	Location	Cost (Rs.)	Duration		
		We will follow the conditions mentioned in OM vide no. F.No.22-65/2017-IA.III dated 20.10.2020					
21	Details of Building Configuration: <Please use following legends: Floor = F, Parking = Pk, Podium = Po, Stilt =St, Lower Ground = LG, Upper Ground = UG, Basement = B, Shops = Sh>					Reason for Modification / Change	
	Previous EC / Existing Building			Proposed Configuration			
	Building Name	Configuration	Height (m)	Building Name	Configuration	Height (m) above surrounding ground level	NA
				Tower - 1	2B + 4 Pk + G + 16 F	92.28 m	
				Tower - 2	2B + 4 Pk + G + 16 F	95.64 m	
				Tower - 3	2B + 4 Pk + G + 16 F	95.41 m	
				Tower - 4	1B + 5 Pk + G + 16 F	105.5 m	
				Tower - 5	1B + 5 Pk + G + 16 F	96.09 m	
				Tower - 6	1B + 5 Pk + G + 16 F	98.02 m	
				Tower - 7	2B + 5 Pk + G + 16 F	93.81 m	
			Hotel	1B + 2Pk + 2 Retail + G + 20F	105.65 m		
			Service Apartment	1B + 2Pk + 2 Retail + G + 20F	108.31 m		
			Retail amenities and ancillary stores	G + 2 F	7.5m		
22	Total number of tenements	No of shops: 1026, No of Offices: 448, Hotel Rooms: 300 & Service apartments: 200					
23	Water	Dry Season (CMD)		Wet Season (CMD)			

	Budget	Fresh Water domestic	1982	Fresh Water domestic	1982
		Recycled (Gardening)	398	Recycled (Gardening)	00
		Swimming Pool	0	Swimming Pool	00
		Recycled Flushing	1598	Recycled Flushing	1598
		Recycled HVAC	1215	Recycled HVAC	1215
		Total	5193	Total	4795
		Waste water generation	3382	Waste water generation	3382
24	Water Storage Capacity for Firefighting / UGT	Fire UG tank – Tower 1 to 7 - 500 KL each Hotel- 300 KL Service Apartment- 300 KL south village retail- 500 KL Fire Overhead tank – 20 KL each building			
25	Source of water	Local Body			
26	Rainwater Harvesting (RWH)	Level of the Ground water table:	The ground water table at the project site Summer Season – 14.67 m. to 20.00 m. BGL. (17.34 m Average) Rainy Season – 4.50 m. to 7.50 BGL. (6.00 m Average) Winter Season – 9.59 m. to 13.75 m. BGL. (11.67 m Average)		
		Size and no of RWH tank(s) and Quantity:	NA		
		Quantity and size of recharge pits:	<b>Total 54 Nos Recharge Pits</b> <b>44 No For Roof Top</b> Size: 3.00 m. X 3.00 m. X 2.00 m. (Or equivalent volume) with 55 to 60 m. Deep 6” Dia. Bore Well via 0.9 m. Dia. 1.0 m. Deep de-siltation pit. <b>14 No For Surface</b> Size: 3.00 m. X 3.00 m. X 1.75 m. (Or equivalent volume) with 55 to 60 m. Deep 6” Dia. Bore Well via 0.9 m. Dia. 2.0 m. Deep de-siltation pit.		
		Details of UGT tanks if any:	<b>Domestic UGT Tank</b> Tower 1, 2 & retail - 357 KL Tower 3 - 199 KL Tower 4 & 5 - 394 KL Tower 6 - 150 KL Tower 7 - 197 KL Hotel & hotel Retail - 99 KL		

			Service Apartment - 70 KL South village retail - 24 KL <b>Treated water UGT Tank</b> Tower 1, 2 & retail - 357 KL Tower 3 - 199 KL Tower 4 & 5 - 394 KL Tower 6 - 150 KL Tower 7 - 197 KL Hotel & hotel Retail - 99 KL Service Apartment - 70 KL South village retail - 24 KL <b>Provided in STPs</b> <b>Fire UGT tank</b> Tower 1 to 7 - 500 KL each Hotel - 300 KL Service Apartment - 300 KL south village retail - 500 KL	
27	Sewage and Wastewater	Sewage generation in CMD:	3382	
		STP technology:	RMBR	
		Capacity of STP (CMD):	8 STP will be provided for total project ohaving following capacities Tower 1 & 2 - 833KLD, Tower 3 - 469 KLD, Tower 4 & 5 - 909 KLD, Tower 6 - 346 KLD, Tower 7 - 455 KLD, South Village retail - 78 KLD, Hotel + Hotel Retail - 184 KLD, Service Apartment - 108 KLD	
28	Solid Waste Management during Construction Phase	<b>Type</b>	<b>Quantity (kg/d)</b>	<b>Treatment / disposal</b>
		Dry waste:	34	Will be hand over to authorized agency
		Wet waste:	31	Will be hand over to authorized agency.
		Construction waste	Excavated material	Debris and excavated material will be reused within site; top soil will be used for landscaping.
29	Solid Waste Management during Operation Phase	<b>Type</b>	<b>Quantity (kg/d)</b>	<b>Treatment / disposal</b>
		Dry waste:	11462	Will be hand over to authorized recyclers
		Wet waste:	8259	Will be treated in Organic Waste Convertor
		Hazardous waste:	Spent oil 38.946 KL/Annum	Will be collected and disposed by DG set vendor.
		Biomedical	NA	NA

		waste			
		E-Waste	309	Handed over to Authorized Vendor	
		STP Sludge (dry)	67.64	Will be used as manure	
30	Green Belt Development	Total RG area (m <sup>2</sup> ):		Required RG = 17,512 m <sup>2</sup> Provided RG 17,514.25 m <sup>2</sup>	
		Existing trees on plot:		507	
		Number of trees to be planted:		2080	
		Number of trees to be cut:		159	
		Number of trees to be transplanted:			
31	Power requirement:	Source of power supply:		MSEDCL	
		During Construction Phase (Demand Load):		400 kVA	
		During Operation phase (Connected load):		87,037 kVA	
		During Operation phase (Demand load):		64,186 kVA	
		Transformer:		35 Nos of 2000kVA 4 Nos of 1600 kVA 2 Nos of 1000 kVA 1 Nos of 750 kVA 2 Nos of 630 kVA	
		DG set:		42 Nos of 2000kVA 5 Nos of 1500 kVA 3 No 1010 kVA 3 Nos of 320 kVA 3 No of 625 kVA	
		Fuel used:		HSD	
32	Details of Energy saving	<b>Sr. No.</b>	<b>Energy Conservation Measures</b>		
		1	By using Copper wound transformer		
		2	By using LED light fixtures		
		3	By using water cooled chillers		
		4	By using Solar Energy PV panel		
		5	By Energy Efficient pumps for PHE & STP equipment's		
		Total Energy Saving – 25.45 %			
33	Environmental Management plan budget during Construction phase	<b>Type</b>	<b>Details</b>	<b>Cost</b>	
		Capital	Air, water, land, biological environment and socioeconomic environment	64.54	
		O&M	Air, water and Noise Monitoring	5.58	
34	Environmental Management plan Budget during	<b>Component</b>	<b>Details</b>	<b>Capital (Rs.in Lacs)</b>	<b>O&amp;M (Rs.in Lacs/Y)</b>
		Storm water	-		
		Sewage treatment	STP	506.69	50.67

	Operation phase	Water treatment	-		
		RWH	Recharge pits	67.50	2.70
		Swimming Pool	-		
		Solid Waste	OWC	193.00	59.27
		Hazardous waste	-	-	-
		E waste	Handed over to Authorized Vendor	-	-
		Green belt development	Gardening	1784.63	178.46
		Energy saving	Other measures	15143.74	5411.40
			Renewable energy Solar PV panel & solar hot water		
		Environmental Monitoring	From MoEF&CC approved lab	-	41.26
		Basement dewatering	--	37.476	3.75
		Basement ventilation	--	637.29	63.73
		Disaster Management	Construction Phase	505.50	17.55
	Disaster Management	Operation Phase	9788.95	3441.24	
35	Traffic Management	<b>Type</b>	<b>Required as per UDCPR</b>	<b>Actual Provided as per UDCPR</b>	<b>Area per parking (m<sup>2</sup>)</b>
		4-Wheeler	8920	8920	As per local body rules
		2-Wheeler	32495	32495	
		Bicycles	NA	NA	
36	Details of Court cases / litigations w.r.t. the project and project location if any.	No			

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 252<sup>nd</sup> (Day-2) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

**Specific Conditions:**

**A. SEAC Conditions-**

1. PP stated that, due to height restriction on site, PP is not able to consume the total permissible FSI. PP to submit the undertaking regarding unutilized FSI is remaining which they will not intend to utilized in future also.
2. PP to submit water NoC, tree cutting NoC.
3. PP to submit the undertaking regarding reservation on site.
4. PP to abide all the conditions of fire NoC.
5. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places with combination of AC & DC.

6. PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

**B. SEIAA Conditions-**

1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
4. SEIAA after deliberation decided to grant EC for – FSI – 534031.47 m<sup>2</sup>, Non FSI- 359284.00 m<sup>2</sup>, Total BUA-893315.47 m<sup>2</sup>. (Plan approval No.Ja. Kra. 966 dated 30.06.2022). (FSI restricted as per approval and non FSI as per appraisal)

**General Conditions:**

**a) Construction Phase :-**

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in



horticulture / landscape development within the project site.

- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

**B) Operation phase:-**

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated

effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.

- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SELAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at [parivesh.nic.in](http://parivesh.nic.in)
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely;

SPM, RSPM. SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

**C) General EC Conditions:-**

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
  - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
  - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
  - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
  - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
  - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
  - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without

any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

  
12/11  
Pravin Darade

(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pune Municipal Corporation/ PMRDA
7. Regional Officer, Maharashtra Pollution Control Board, Pune.

